

Integrated Healthcare Solutions





1 WASHROOM ACCESSORIES

The world's leading manufacturer of commercial washroom accessories. We offer the most comprehensive selection of washroom accessories available anywhere.

americanspecialties.com



2 TOILET PARTITIONS

From solid plastic, plastic laminate, to powder coated, phenolic and stainless steel partitions—the most comprehensive collection available from one source.

asi-accuratepartitions.com
asi-globalpartitions.com



COMMITTED TO DELIVERING THE MOST COMPREHENSIVE COLLECTION OF PRODUCTS FOR HEALTHCARE FACILITIES



3 LOCKERS + BENCHES

A wide range of colors, configurations, and materials including steel, solid plastic and phenolic.

asi-storage.com



4 VISUAL DISPLAY PRODUCTS

A wide variety of visual display products, from markerboards, tackboards, to mobile units and coat racks, ASI offers an extensive line of products for any interior.

asi-visualdisplayproducts.com



**PRESBYTERIAN MEDICAL CENTER
PENN REGIONAL**
PHILADELPHIA, PA
ARCHITECT: EWING COLE



PARKLAND HOSPITAL
DALLAS, TX
ARCHITECT: CORGAN ASSOCIATES



**UNIVERSITY OF MIAMI
MEDICAL FACILITIES**
MIAMI, FL
ARCHITECT: PERKINS & WILL

HEALTHCARE ACCESSORIES

ASI offers many different items that are specifically designed for healthcare settings. All of these items contribute to providing an organized and hygienic environment for patients and caregivers. From innovative products like antimicrobial grab

bars and a slow close shower seat, to glove dispensers, security cabinets, and hazardous waste disposals—ASI healthcare accessories are designed for ease of use, safety, durability, and peace of mind.

THE MOST COMPREHENSIVE HEALTHCARE OFFERING

18-22
GAUGE


STAINLESS STEEL CONSTRUCTION

Our cabinets are made of stainless steel, which is tough, durable, stain-resistant and easy to clean.



ENGINEERED FOR HEALTHCARE

In critical environments, there is no room for error. ASI understands your need for dependable products and is continuously innovating to provide you with the best in integrated products for your healthcare facility and washrooms.



FULLY INTEGRATED SOLUTIONS


The largest collection of washroom accessories, lockers, partitions, and visual display products available from one source. Only ASI designs, engineers, and manufactures fully integrated solutions. So, all of our products work together seamlessly.



BARNES JEWISH HOSPITAL
ST. LOUIS, MO
ARCHITECT: HOK



**NEW YORK-PRESBYTERIAN
DAVID H. KOCH CENTER**
NEW YORK, NY
ARCHITECT: HOK



UNIVERSITY OF CT HEALTH CENTER
FARMINGTON, CT
ARCHITECT: GOODY CLANCY

SHOWN: 0501-4 SURFACE MOUNTED
SURGICAL GLOVE DISPENSER



20826
**ROVAL™ SURFACE MOUNTED
WASTE RECEPTACLE**

Receptacle front and sides fabricated of 20 gauge stainless steel with satin finish. 12.8 gal. (48.4 L) waste capacity.

MODEL OPTION:
20826-T Closed top, spring-loaded door.
Capacity 12.8 gal. (48.4 L).

Overall Dimensions:
15¹/₈" x 23" x 8¹/₂"
(384 x 584 x 216 mm)



0834-T
**TRADITIONAL™ FREESTANDING
WASTE RECEPTACLE WITH DUAL
SWING TOP**

Fabricated of 22 gauge stainless steel; holds 14 gallons (54 L) of waste. Top has dual swing door and is removable for easy maintenance. Bottom is equipped with four (4) non-skid rubber feet.

MODEL OPTION:
0839-T has 19 gal. (72 L) capacity with 12³/₈" x 37¹/₄" x 12¹/₂" (314 x 946 x 318 mm) dimensions.

Overall Dimensions:
12³/₈" x 29³/₄" x 12¹/₂"
(314 x 756 x 318 mm)



0839-41
**WASTE RECEPTACLE (19 GAL.) —
MATTE BLACK, FREE STANDING**

Fabricated of 22 gauge stainless steel; holds 19 gallons (72 L) of waste. Top is removable for easy maintenance and bottom is equipped with four (4) black rubber feet.

Overall Dimensions:
12³/₈" x 32" x 12¹/₂"
(314 x 800 x 318 mm)



**0557
SURFACE MOUNTED BEDPAN RACK**

Surface mounted rack provides convenient storage for one conventional sized bedpan.

Overall Dimensions:
12" x 11" x 4 7/8"
(305 x 279 x 124 mm)

MODEL OPTIONS:
0556 Surface mounted bedpan and urinal rack.
0559 Surface mounted double bedpan rack. Similar to 0556, but designed to hold two conventional sized bedpans.



**0515
TURNTABLE SPECIMEN PASS BOX**

Fabricated of 18 gauge satin finish stainless steel. Turntable cylinder is 12" (305 mm) diameter with 10 1/2" x 6" (267 x 152 mm) opening. Stainless steel self-lubricating ball bearing plates mounted on top and bottom permit the unit to rotate freely. Positioned bullet catches prevent uncontrolled rotation. Entire inner assembly is encased in 1" (25 mm) wide trim. Cylinder lock allows for the removal of the cylinder for sterilizing or autoclaving when necessary. Trim is adjustable for wall up to 7" (178 mm) thick.



**0548
RECESSED SHARPS
DISPOSAL CABINET**

Satin finish stainless steel. Marked with graphic label indicating Biohazard. Holds one Becton, Dickinson and Company (BD) brand Sharps Collector model #305443 (not included).

Overall Dimensions: 13 3/4" x 19 1/16" x 5 1/4"
Wall Opening: 12 1/8" x 17 3/4" x 5"
(349 x 486 x 133 mm) (308 x 451 x 127 mm)

MODEL OPTION:
0548-9 Surface mounted with a stainless steel collar.




**0551
RECESSED BEDPAN AND URINAL
BOTTLE CABINET**

Recessed cabinet is 22 gauge satin finish stainless steel for storage of bedpan and urinal. Cabinet provided with 1/2" (13 mm) open space across top and bottom of door to allow air circulation.

Overall Dimensions:
15" x 28" x 5 1/4"
(381 x 711 x 133 mm)

Wall Opening:
13 3/8" x 26 1/2" x 5 3/8"
(340 x 670 x 140 mm)

MODEL OPTION:
0558-1 Recessed bedpan and wash basin cabinet.



**8154
RECESSED PASS-THROUGH
SPECIMEN CABINET**

Provides a convenient passage from patient area into laboratory. Fabricated of 18 gauge satin finish stainless steel. Internal latch prevents simultaneous door opening. Stainless steel tray is removable. Mounts in wall thickness of 1 3/4" to 5 1/2" (44 to 140 mm).

MODEL OPTIONS:
8155 Extension sleeve and flange for recessed specimen pass-through cabinet.
8156 Same as 8154 including 8155 extension sleeve.



**0815
FLOOR STANDING FOOT OPERATED
WASTE RECEPTACLE**

Foot operated waste receptacle with satin finish stainless steel body and top. Connected with multi-staked piano hinge and features hemmed edges for safety. Capacity: 8 gal. (30.7 L).

Overall Dimensions:
10 3/4" x 20 15/16" x 10"
(273 x 531 x 254 mm)



9012

SURFACE MOUNTED PLASTIC BABY CHANGING STATION

Modern styling and easy-to-clean surface is fabricated of 100% high-density polyethylene. Intended use for infants up to 3.5 years old and up to 50 lbs (23kg). Surface mounted. Only 4" (102 mm) deep when closed.

Overall Dimensions:

Closed:	Open:
36" x 22" x 4"	36" x 22" x 20 ⁷ / ₁₆ "
(914 x 559 x 102 mm)	(914 x 559 x 519 mm)



9014

SURFACE MOUNTED HORIZONTAL PLASTIC BABY CHANGING STATION

Fabricated of FDA-approved fungus and bacteria-resistant plastic. Intended use for infants up to 3.5 years old and up to 50 lbs (23kg). Its vinyl-coated, adjustable safety strap assures child protection.

Overall Dimensions:

Closed:	Open:
35 ⁵ / ₃₂ " x 24 ¹ / ₄ " x 3 ⁷ / ₈ "	35 ⁵ / ₃₂ " x 24 ¹ / ₄ " x 22 ¹ / ₃₂ "
(893 x 616 x 98 mm)	(893 x 616 x 560 mm)

-41



Matte
Black



0501-X

SURFACE MOUNTED SURGICAL GLOVE DISPENSER

Satin finish stainless steel holds and dispenses gloves from one standard surgical glove box. Fully hemmed-in rolled edges for snag-free dispensing and user safety.

MODEL OPTIONS:

0501-1 Dispenser for 1 box.
0501-2 Dispenser for 2 boxes.
0501-3 Dispenser for 3 boxes.
0501-4 Dispenser for 4 boxes.



0511

SURFACE MOUNTED BULK DISPENSER, SMALL

Satin finish stainless steel. Dispenses various personal protection equipment such as gloves, caps, and shoe covers (not supplied).

Overall Dimensions:

12⁵/₆₄" x 11" x 5¹/₂"
 (307 x 279 x 140 mm)

MODEL OPTION:

0512 Large bulk dispenser.

Overall Dimensions:

12⁵/₆₄" x 17" x 5¹/₂"
 (307 x 431 x 140 mm)



9018-41

BABY CHANGING STATION, HORIZONTAL - MATTE BLACK, RECESSED

This horizontal unit has a pull handle and concealed damped gas spring, assisting in easy operation. Fabricated of FDA-approved fungus- and bacteria-resistant plastic. Intended use for infants up to 3.5 years old and up to 50 lbs (23kg). Its vinyl-coated, adjustable safety strap assures child protection.

MODEL OPTIONS:

9018 Recessed mounted with a stainless steel collar.

Overall Dimensions:

Closed:	Open:
35 ⁵ / ₃₂ " x 24 ¹ / ₄ " x 3 ⁷ / ₈ "	35 ⁵ / ₃₂ " x 24 ¹ / ₄ " x 22 ¹ / ₃₂ "
(893 x 616 x 98 mm)	(893 x 616 x 560 mm)



Satin
Steel



68523A-4
SIMPLICITY™ AUTOMATIC SEMI-RECESSED ROLL PAPER TOWEL DISPENSER

Proximity sensing no-touch unit dispenses a pre-set length per cycle from 8" standard towel roll up to 800 ft. (244 m) long and has stub roll capability for continuous dispensing.

MODEL OPTION:

68523A battery operated, surface mounted.

68523AC roll towel dispenser, 110-240 VAC, surface mounted.

68523AC-4 roll towel dispenser, 110-240 VAC, semi-recessed.

Unit Size:

17⁵/₁₆" x 20³/₈" x 9¹/₂"
(440 x 518 x 241 mm)

Wall Opening:

15³/₈" x 19" x 4"
(391 x 483 x 102 mm)



6462
SIMPLICITY™ RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 800 multi-fold or 600 C-fold towels, standard. Provided adapter allows the flexibility to change the capacity to up to 1,100 single-fold paper towels. 9 gal. (34 L) stainless steel waste receptacle. 18 gauge stainless steel door.

MODEL OPTIONS:

6462-2 Semi-recessed with a stainless steel collar.

6462-9 Surface mounted with a stainless steel collar.

Unit Size:

17¹/₄" x 54" x 6¹/₂"
(438 x 1372 x 165 mm)

Wall Opening:

15³/₄" x 52¹/₂" x 6"
(400 x 1335 x 152 mm)



0481
PARTITION MOUNTED DUAL ACCESS SEAT COVER AND TOILET TISSUE DISPENSER WITH SANITARY DISPOSAL

Mounts through partition usable by both sides but serviced from one side. Holds 1000 seat covers and 4 rolls of toilet tissue.

MODEL OPTIONS:

0481-HC One side mounts flush.

0482 For end-stall installation.

0483 Surface mounted with a stainless steel collar.

Unit Size:

17³/₁₆" x 30⁵/₁₆" x 4¹/₄"
(441 x 778 x 108 mm)

Partition Opening:

15¹/₂" x 28⁵/₁₆"
(394 x 733 mm)
adjustable for partitions in thickness from 1/2" to 2" (13 to 51 mm)



0258-SS
SURFACE MOUNTED FACIAL TISSUE DISPENSER

Fabricated of stainless steel with satin finish. Dispenses 300 single-ply or 150 two-ply sheets.




MODEL OPTION:

0259-SS A recessed version of the unit.

Overall Dimensions:

10¹/₄" x 5⁵/₁₆" x 2³/₁₆"
(260 x 135 x 55 mm)



0533 SERIES
CORNER GUARD

Surface Mounted Corner Guard is constructed of robust 18 gauge stainless steel and is finished with a 1/8" radius outside edge. Guard can be mounted flush to floor or at base height. Ideal for a variety of applications.

Overall Dimensions:

48" x 4¹/₄" x 4¹/₄" (1219 x 108 x 108 mm)

1) CHOOSE EDGE AND MOUNTING STYLE:

- 0533-1 Beveled w/ Adhesive
- 0533-2 Beveled w/ Mounting Holes
- 0533-3 Straight w/ Adhesive
- 0533-4 Straight w/ Mounting Holes

2) ADD PREFIX FOR GAUGE:

1 (16 Gauge) or 2 (18 Gauge)

Ex: 0533-3-2 straight edges with adhesive mounting, 18 gauge



3420

SWING-UP GRAB BAR WITH SUPPORT LEG

Grab Bar with Support Leg is fabricated of stainless steel type 304 alloy 18-8. The bar has 1-1/2" diameter (Ø38) tubing hinge with three (3) preset detent stop positions and polymer anti-friction bearing plates to ensure quiet and smooth operation. A polymer bumper is provided at the bottom bar end to prevent banging when lowered into use position.

Exposed flange (1 1/4" O.D.) smooth –
Swing Up Grab Bar with Leg



3857

HORIZONTAL GRAB BAR, 54" X 42"

Features include cover that snaps over mounting flange dimples to conceal screws and concealed mounting flange of 3-1/8" (79 mm) O.D. diameter with 2 screw holes and 3 locking dimples; 1/8" (3 mm) thick, type 304 stainless steel. Cover is type 304 stainless steel with a satin finish and 22 gauge, 3-3/16" (81 mm) diameter.

Snap Flange (1-1/2" O.D) Smooth –
Horizontal Grab Bar, 54" x 42"



3801-X

MATTE BLACK SNAP FLANGE GRAB BARS

Features include cover that snaps over mounting flange dimples to conceal screws and concealed mounting flange of 3 1/8" (79 mm) O.D. diameter with 2 screw holes and 3 locking dimples; 1/8" (3 mm) thick, type 304 stainless steel. Cover is type 304 stainless steel with a satin finish and 22 gauge, 3 3/16" (81 mm) diameter.

1-1/2" DIA (38 mm) 3801-36-41 Straight Grab Bar With
Matte Black Powder Coated Finish

MODEL OPTIONS:

- NEW 3800-41** Matte Black.
- NEW 3801-18-41** 18" Matte Black.
- NEW 3801-24-41** 24" Matte Black.
- NEW 3801-36-41** 36" Matte Black.
- NEW 3801-42-41** 42" Matte Black.




3875

WALL TO FLOOR GRAB BAR, 18" X 33"

Features include cover that snaps over mounting flange dimples to conceal screws and concealed mounting flange of 3-1/8" (79 mm) O.D. diameter with 2 screw holes and 3 locking dimples; 1/8" (3 mm) thick, type 304 stainless steel. Cover is type 304 stainless steel with a satin finish and 22 gauge, 3-3/16" (81 mm) diameter.

Snap Flange (1-1/2" O.D) Smooth –
Wall to Floor: 18" x 33"



3000/ 3400/ 3500/ 3700/ 3800 SERIES GRAB BARS

All ASI Grab Bars are made in compliance with ADA guidelines for strength requirements. Various configurations feature stainless steel peened or smooth, and white variations. Grab Bars can be custom designed and manufactured to meet any specific architectural requirements.

- 3000 Series** - 1" Diameter concealed mount
- 3400 Series** - 1¼" Diameter exposed mount
- 3500 Series** - 1½" Diameter exposed mount
- 3700 Series** - 1¼" Diameter snap flange (3700-W - White)
- 3800 Series** - 1½" Diameter snap flange (3800-W - White | 3800-AW - Antimicrobial White)



3451 SWING-UP GRAB BAR, LOCKS

18 gauge 1¼" diameter satin finish stainless steel grab bar mounts on bracket. Features vertical position gravity lock with manual release.

Exposed flange (1¼" O.D.) smooth

MODEL OPTION:

- 3451-P** Exposed flange (1¼" O.D.) peened
- 3413** Exposed flange (1¼" O.D.) smooth
- 3413-P** Exposed flange (1¼" O.D.) peened



3701-XX STRAIGHT GRAB BAR

Features include cover that snaps over mounting flange dimples to conceal screws and concealed mounting flange of 3⅞" (79 mm) O.D. diameter with 2 screw holes and 3 locking dimples; ⅛" (3 mm) thick, type 304 stainless steel. Cover is type 304 stainless steel with a satin finish and 22 gauge, 3⅜" (81 mm) diameter. Snap Flange (1¼" O.D.)

MODEL OPTION:

- 3701-XXP** Snap flange (1¼" O.D.) peened



3702-XX STRAIGHT GRAB BAR WITH INTERMEDIATE SUPPORT

18 gauge satin finish stainless steel, 1¼" (32 mm) diameter with flange covers to conceal screws.

Snap Flange (1¼" O.D.) Smooth

MODEL OPTION:

- 3702-XXP** Snap flange (1¼" O.D.) peened



1201-A
CURVED SHOWER CURTAIN ROD
WITH MOUNTING BRACKETS

Fabricated of type 304 stainless steel. Tubing is 18 gauge, 1" DIA (25 mm) with a satin finish. Length is suitable for a 60" (1524 mm) wide enclosure either on opposite walls (-B) or across the face opening (-A) depending upon rod length chosen.

MODEL OPTION:

1201-B Curved shower curtain rod with mounting brackets for opposite walls.



7314
SINGLE TOILET PAPER
ROLL HOLDER

The toilet paper placed on this bail-type holder has unrestricted feed. Its design allows for easy replacement by maintenance or even guests. All exposed surfaces have a satin finish stainless steel. Paper bar is reversible to change handing.

Overall Dimensions:

5 $\frac{3}{16}$ " x 3 $\frac{3}{8}$ " x 2 $\frac{3}{16}$ "
(131 x 86 x 56 mm)



8205
L-SHAPED PADDED ADA
FOLD-UP SHOWER SEAT

$\frac{1}{2}$ " (13 mm) thick solid white phenolic seat with cushion. Stainless steel seat frame, support legs, flanges, and bracket. Seat measures 33" (838 mm) wide and projects 22 $\frac{7}{8}$ " (581 mm) from the wall.

MODEL OPTIONS:

8205-L Left handed (shown)

8205-R Right handed



7308
SINGLE ROBE HOOK

Extends 2 $\frac{5}{16}$ " (59 mm) from wall or door. Suitable for robes, clothing, or small bags. Satin finish stainless steel hook.



7383
SURFACE MOUNTED TOWEL SHELF
WITH HANGER ROD

Heavy-duty unit with $\frac{3}{4}$ " diameter stainless steel tubing. Stainless steel setscrew provided on bottom perimeter of flanges to lock unit to mounting plates.

Overall Dimensions:

23 $\frac{3}{8}$ " x 3 $\frac{1}{2}$ " x 8 $\frac{15}{16}$ "
(600 x 89 x 227 mm)



8204
COMPACT PADDED
RECTANGULAR ADA FOLD-UP
SHOWER SEAT

$\frac{5}{16}$ " (8 mm) thick, one-piece, solid phenolic seat with padding. Frame, support legs, flanges, and bracket are satin finish stainless steel. Seat measures 18" (457 mm) wide and projects 16 $\frac{1}{2}$ " (419 mm) from wall.




8206-L FOLDING SHOWER SEAT

(Left hand) Meets ADA Accessibility Guidelines and the needs of the physically disabled and elderly when properly installed. Seat is ½" (13 mm) thick, one-piece, solid, white colored, black core phenolic. Frame, support legs, flanges, and bracket are satin finish stainless steel. Phenolic seat ONLY is field reversible. Seat measures 33" (838 mm) wide and projects 22⅞" (581 mm) from wall.

MODEL OPTIONS:

- 8206-R Right hand seat.
- 8208-L Right hand seat, projects 23".
- 8208-R Left hand seat, projects 23".



8206-SC-L SLOW CLOSE FOLDING SHOWER SEAT

Slow Close Phenolic L-Shaped Fold Up Shower Seat provides added safety and ease of use. Gas charged struts assist one-handed opening by allowing the slowly lowering seat to its operating position and also assists in partial closing. (Left hand) Meets ADA Accessibility Guidelines and the needs of the physically disabled and elderly when properly installed. Seat is ½" (13 mm) thick, one-piece, solid, white colored, black core phenolic. Frame, support legs, flanges, and bracket are satin finish stainless steel. Phenolic seat ONLY is field reversible. Seat measures 33" (838 mm) wide and projects 22⅞" (581 mm) from wall.

MODEL OPTION:

- 8206-SC-R Right hand seat.



8202 L-SHAPED PHENOLIC FOUR-LEG FOLD-UP SHOWER SEAT

Seat is ½" (13 mm) thick solid phenolic, with white top and bottom surfaces, and black edges, and is field reversible for left or right hand. Rear load feet remain on floor with rear frame mounted to wall and never need adjustment after correct installation. Front legs fold up automatically when seat is raised. Gravity prevents seat from dropping. Seat measures 33½" (851 mm) wide and projects 15⅞" (395 mm) from wall. Meets ADA Accessibility Guidelines and the needs of the physically disabled and elderly when properly installed.



8203 COMPACT FOLDING SEAT

⅝" (8 mm) thick, one-piece, solid, white colored, black core phenolic seat. Frame, support legs, flanges, and bracket are satin finish stainless steel. Features a self-locking mechanism. Meets ADA Accessibility Guidelines and the needs of the physically disabled and elderly when properly installed. Seat measures 18" (457 mm) wide and projects 16" (406 mm) from wall. Additional width options are available in 20", 28", and 33" (order with suffix -20, -28, and -33).

MODEL OPTIONS:

- 8204 Seat is sponge cushion covered with off-white Naugahyde® mounted on ½" (13 mm) thick marine grade plywood.



8207 STAINLESS STEEL RECTANGULAR ADA FOLD-UP SHOWER SEAT

Seat has slatted design and is fabricated of stainless steel. Features a self-locking mechanism. Seat measures 18" (457 mm) wide and projects 17⅞" (444 mm) from wall.



8358 FOLDING TUB SEAT

½" (13 mm) thick, solid, white colored, black core phenolic seat. Frame, mounting bracket, and retainer hook are satin finish stainless steel. Meets ADA Accessibility Guidelines and the needs of the physically disabled and elderly when properly installed. Seat measures 15" (387 mm) wide and projects 33¼" (860 mm) from wall.



0349
FOOT OPERATED SURGICAL
SOAP DISPENSER

Pneumatic pump mechanism, 32 oz. (0.9 L) polyethylene container. Free turning spout is type 316 stainless steel. 96" (2438 mm) long vinyl tubing attaches to anti-slip foot pump. Dispenses liquid surgical soaps, antiseptic solutions, and synthetic detergents.

Overall Dimensions:

4¼" x 12¾" x 9"
(108 x 324 x 229 mm)

Spout Projection: 9" (229 mm) from wall



0332
VANITY MOUNTED MANUAL LIQUID
SOAP DISPENSER

Corrosion-resistant valve with stainless steel spout and chrome plated brass escutcheon plate.

MODEL OPTIONS:

	Capacity	Spout
0332	34 oz. (1.0 L)	4" (102 mm)
0332-C	20 oz. (0.6 L)	4" (102 mm)
0332-CD	20 oz. (0.6 L)	6" (152 mm)
0332-D	34 oz. (1.0 L)	6" (152 mm)

Unit Size:

3⅞" x 10⅝" x 2⅝"
(87 x 271 mm)



0336
VANITY MOUNTED MANUAL FOAM
SOAP DISPENSER

Plunger cap, stem and body, spout, escutcheon, and base sleeve fabricated of stainless steel. Soap container is translucent, shatter-resistant HDPE with 34 oz. (1 L) capacity.

MODEL OPTION:

0336-D 6" (152 mm) spout projection.

Unit Size:

3½" x 15¾"
(87 x 271 mm)

Spout projection: 4" (102 mm)



0350
SURGICAL SOAP DISPENSER

Dispenses liquid antiseptic solutions and synthetic detergent soaps. Chrome plated brass body. Capacity: 16 oz. (0.5 L) white polyethylene globe.

Overall Dimensions:

3⅞" x 6½" x 5⅞"
(86 x 165 x 130 mm)



0326
RECESSED HORIZONTAL
LIQUID SOAP DISPENSER

Stainless steel with satin finish, all-purpose soap valve, 57 fl. oz. (1.7 L) liquid soap capacity. Includes tamper-resistant sight gauge.

Unit Size:

10¼" x 6" x 4½"
(260 x 152 x 115 mm)

Wall Opening:

9" x 4⅞" x 4"
(229 x 124 x 102 mm)

Spout Projection: 2½" (64 mm)




0318
LIQUID SOAP
DISPENSER AND SHELF


Holds and dispenses 83 oz (2.5 L) of liquid soap. Shelf/cover held closed with a concealed latch.

Overall Dimensions:

17⅞" x 3⅞" x 5⅞"
(440 x 87 x 130 mm)



= LIQUID



= FOAM



Products with this icon can dispense hand sanitizer.



0335-B
AUTOMATIC VANITY MOUNTED
FOAM SOAP AND HAND
SANITIZER DISPENSER

Hands-free dispenser powered by 4 AA-size batteries (not included) or optional AC adapter (72-ACA, not included). Stainless steel body, all exposed stainless steel surfaces have a bright finish. Capacity: 50.7 oz. (1500 ml).

MODEL OPTION:

0335-S Stainless steel with satin finish.

Unit Size:

1½" x 3¼" (38 x 97 mm)
(dispenser body only)

Spout projection: ¾" (98 mm)



EZ FILL™ AUTOMATIC LIQUID AND
FOAM SOAP DISPENSING SYSTEM

Available in top-fill, multi-feed for up to six soap dispensers with a 6L tank capacity, or stand-alone 1L capacity dispensers. Polished chrome or matte black finishes, and battery or AC powered options.

MODEL OPTIONS:

0390 Top-fill, multi-feed kit

0390-(N) Top-fill, multi-feed dispenser heads (liquid)

0391-(N) Stand-alone dispenser (liquid)

0393-(N) Top-fill, multi-feed dispenser heads (foam)

0394-(N) Stand-alone dispenser (foam)

Use suffix **-41** for matte black finish



0397
EZ FILL™ WATER FAUCET – CHROME

Matching water faucet for EZ Fill™ Top Fill Multi-Feed soap dispensing system. Battery or AC power operated, hands-free sensor housing with a highly polished chrome or matte black (-41) finish over all surfaces.

MODEL OPTION:

0397-1AC-41 Matte Black.



0347
SURFACED MOUNTED VERTICAL
LIQUID SOAP DISPENSER

0345
SURFACED MOUNTED HORIZONTAL
LIQUID SOAP DISPENSER

40 fl. oz. (1.2 L) capacity liquid soap dispenser in stainless steel; satin finish comes with an all-purpose valve and a tamper-resistant sight gauge.

MODEL OPTIONS:

NEW 0347-41 Matte Black.

NEW 0345-41 Matte Black.

0347 Unit Size:

4¼" x 8¼" x 3¼"
(122 x 208 x 100 mm)

0345 Unit Size:

8¼" x 4¼" x 3¼"
(208 x 122 x 100 mm)

Spout projection: 1½" (38 mm)



-41
Matte Black



0362
AUTOMATIC SURFACE MOUNTED
LIQUID SOAP AND GEL HAND
SANITIZER DISPENSER – SATIN

Stainless steel liquid soap and gel hand sanitizer dispenser with satin finish and proximity sensor. Powered by 6 AA-size batteries (not included) and has a tamper-resistant sight gauge. Capacity: 27 oz. (0.8 L).

Overall Dimensions:

4¼" x 10½" x 4¼"
(122 x 270 x 105 mm)



-41
Matte Black



20364
ROVAL™ AUTOMATIC SURFACE
MOUNTED LIQUID SOAP AND GEL
HAND SANITIZER DISPENSER


Hands-free liquid soap and gel hand sanitizer dispenser powered by 6 AA-size batteries (not included). Seamless drawn stainless steel cover. Translucent removable internal tank for easy-to-view level. LED indicates adjustment and operation. Capacity: 34 oz. (1 L). d.

Overall Dimensions:

5½" x 10¾" x 4"
(140 x 276 x 102 mm)



HAND DRYERS



0196-41

TURBO-PRO™ HIGH-SPEED ADA HAND DRYER

Elegant ADA-compliant, high-speed, automatic hand dryer. A HEPA filter is used to purify the air before it dries hands. The dryer provides operating flexibility—the owner controls air temperature as well as air speed. Fast drying, <15 seconds. Available in 110-120 V (-1) and 208-240 V (-2).

Overall Dimensions:

8 $\frac{5}{8}$ " x 13 $\frac{3}{16}$ " x 4"
(219 x 345 x 102 mm)

Decibel Level: 68-73.8 dB-A @ 2M



0192-1-93


TURBO *Swift*™ ADA HIGH-SPEED HAND DRYER

High-speed ADA-compliant automatic hand dryer has one-piece stainless steel cover with satin finish and delivers eco-friendly and cost-saving performance. Includes adjustable infrared sensor, and LED indicates power status and guides user toward air flow. Fast drying, <12 seconds. 110-120 V.

Overall Dimensions:

6 $\frac{2}{32}$ " x 10 $\frac{1}{16}$ " x 4"
(174 x 256 x 102 mm)

Decibel Level: 74 dB-A @ 2M



0199-1-41

ASI TURBO-ADA ACCESSIBILITY COMPLIANT HIGH-SPEED HAND DRYER

Fast drying, <15 seconds, and automatic operation using infrared sensor with auto-resetting thermostat. Owner-adjustable air speed and temperature and on/off heating options with shut off when user removes hands from sensor zone. Standard white cover; optional bright or satin stainless steel finish. Available in 110-120 V (-1) and 208-240 V (-2).

Overall Dimensions:

10 $\frac{5}{8}$ " x 8 $\frac{15}{32}$ " x 4"
(270 x 215 x 102 mm)

Decibel Level: 68.9-74.3 dB-A @ 2M



64672-1

SIMPLICITY™ RECESSED 3-IN-1 PAPER TOWEL DISPENSER, HIGH-SPEED HAND DRYER AND WASTE RECEPTACLE

Paper towel dispenser with waste receptacle and < 15 second automatic hand dryer. Dispenses 500 multi-fold or 400 C-fold paper towels, and has a waste capacity of 6.8 gal. (26 L). 18 gauge stainless steel door. Dryer has 5-year warranty. 110-120 V. Optional voltages available.

MODEL OPTIONS:

64672-2 Dryer Voltage is 208-240 V Dryer.

64672 Cabinet only—no hand dryer included.

NEW 64672-41PC Cabinet Only—Matte Black.

Unit Size:

15 $\frac{5}{8}$ " x 55 $\frac{3}{8}$ " x 7 $\frac{1}{2}$ "
(391 x 1407 x 191 mm)

Wall Opening:

14 $\frac{3}{32}$ " x 54 $\frac{3}{8}$ " x 7 $\frac{1}{4}$ "
(358 x 1381 x 184 mm)

Decibel Level: 68.9-74.3 dB-A @ 2M





0198-MH SAFE-DRI™ MENTAL HEALTH RECESSED HIGH-SPEED HAND DRYER

Anti-ligature dryer designed for Behavioral Health environments—angled top, welded corners, and single tube exhaust prevent looping, tying off, wedging, and prying. Tamper-resistant 18 gauge stainless steel cover and flush pin-hex security screws. Available in 115-120 V and 208-240 V.

Unit Size: 12⁵/₈" x 15³/₄" x 5¹/₁₆" (320 x 400 x 140 mm)
Wall Opening: 12¹/₄" x 15³/₁₆" x 5¹/₄" (311 x 386 x 133 mm)


Decibel Level:
66 dB-A @ 2M



123 SQUARE CLOTHES HOOK— FRONT MOUNT

Fabricated of 12 gauge type 304 stainless steel with a satin finish. Back plate is fabricated of 14 gauge stainless steel. If hook is excessively loaded, it will snap down for safety. Square shape. Unit has four holes for front mounting.

Overall Dimensions:
4¹/₄" x 4¹/₄" x 2¹/₄"
(108 x 108 x 57 mm)



Special "closure plate" for security applications



165 GRAB BAR

Tubing 18 gauge and flanges ¹/₈" (3 mm) thick stainless steel with satin finish. Closure plate is ¹/₈" (3 mm) thick. All welded construction. Unit has three holes through each flange for front mounting.

MODEL OPTIONS:

Front Mounted	Length
159	18" (457)
162	30" (762)
164	36" (914)
165	24" (610)
167	42" (1067)
169	48" (1219)



20199 ROVAL™ SEMI-RECESSED HIGH-SPEED HAND DRYER

This high-performing hand dryer, with a drying time of 10-15 seconds, has a cover made of 18 gauge stainless steel and uniquely complements the Roval™ Collection with its bowed face and gently radiused edges. 5-year warranty. Optional voltages available.

Unit Size: 11" x 15¹/₂" x 5²³/₃₂" (279 x 394 x 145 mm)
Wall Opening: 10¹/₂" x 14⁵/₈" x 3¹/₄" (267 x 371 x 83 mm)

Decibel Level: 69 dB-A @ 2M



110-1 SQUARE RECESSED SECURITY TOILET TISSUE HOLDER—REAR MOUNT

Fabricated of 14 gauge stainless steel with satin finish exterior, glass blasted satin finish interior 4" (102 mm) deep accommodates one standard toilet tissue roll. Flange is 7¹/₈" (181 mm) square.

Overall Dimensions:
7" diameter x 4¹/₂" depth
(179 mm diameter x 114 mm depth)

MODEL OPTIONS:

110-13 Front mount, with 7"
(179 mm) square flange



128-1 BOOK SHELF/CLOTHES HOOK— FRONT MOUNT

Shelf and back plate are 14 gauge stainless steel with satin finish. Hooks are 12 gauge stainless steel, and back plate is 14 gauge stainless steel. Seams are welded and ground smooth. Hooks snap down for safety if excessively loaded. Unit has six holes through back for front mounting.

Overall Dimensions:
18" x 11" x 8"
(457 x 279 x 203 mm)



0600-41
INTER-LOK ANGLE FRAME
MIRROR

$\frac{3}{4}$ " x $\frac{5}{8}$ " (19 x 16 mm) roll formed 18 gauge stainless steel angle frame has corners heliarc welded, ground and polished smooth. Mirror is installed on a concealed hanging bracket that locks onto top and bottom of frame by tamper-proof set screws.

MODEL OPTIONS:

0600 – $\frac{3}{4}$ " x $\frac{5}{8}$ " (19 x 16 mm)

0600-1836-41 – 18" wide x 36" high
(457 x 914 mm)

0600-2436-41 – 24" wide x 36" high
(610 x 914 mm)



0600-T
ADJUSTABLE TILT MIRROR

Designed to provide easy visibility for wheelchair patients or return to upright position. Angle frame fabricated of 18 gauge stainless steel with corners welded and ground smooth. Tilts a full 6" (152 mm) with bottom mounted on full width stainless steel piano hinge.



0620
CHANNEL FRAME MIRROR

$\frac{1}{2}$ " x $\frac{1}{2}$ " (13 x 13 x 13 mm) 20 gauge type 304 satin finish stainless steel channel is a one-piece roll formed member that encases mirror and backing revealing a tight mitered corner. Mirror is installed on two wall brackets and held secure by theft-resistant screws.



0952
RECESSED STAINLESS STEEL MEDICINE CABINET

Swing door mirror frame is stainless steel with satin finish. Mirror is $\frac{1}{4}$ " (6 mm), guaranteed for 15 years against silver spoilage. Door has full length piano hinge and magnetic catch. Three removable stainless steel shelves.

Overall Dimensions:

18 $\frac{1}{4}$ " x 24 $\frac{1}{4}$ " x 4 $\frac{1}{2}$ "
(464 x 616 x 114 mm)

Wall Opening:

16" x 22 $\frac{3}{4}$ " x 3 $\frac{1}{2}$ "
(406 x 578 x 89 mm)

MODEL OPTION:

0952-B Larger than 0952.

Overall Dimensions:

24" x 26" x 4 $\frac{7}{8}$ "
(610 x 660 x 124 mm)

Wall Opening:

21 $\frac{3}{4}$ " x 24 $\frac{1}{2}$ " x 3 $\frac{1}{2}$ "
(550 x 620 x 89 mm)



8338
RECESSED POWDER COATED
MEDICINE CABINET

White powder coated finish. Stainless steel channel framed mirrored door with $\frac{1}{4}$ " (6 mm) thick plate glass, has continuous piano hinge and magnetic catch. Two adjustable shelves.

Overall Dimensions:

14 $\frac{1}{8}$ " x 20 $\frac{3}{16}$ " x 5"
(359 x 513 x 127 mm)


MODEL OPTION:

8339 16 $\frac{3}{16}$ " x 22 $\frac{3}{16}$ " x 5" (411 x 564 x 127 mm)



0535 FIXED TILT MIRROR

Offers visibility for wheelchair patients. Frame fabricated of 20 gauge stainless steel with a satin finish. Mirror is tapered from 4" (102 mm) at top to 1" (25 mm) at bottom.



20655 ROVAL™ STAINLESS STEEL MIRROR WITH INTEGRAL SHELF

The gently radiused edges provide added strength and complement the curves of the ASI Roval™ Collection. Mirror frame and 6" wide curved edge shelf are fabricated of 18 gauge stainless steel with satin finish. Mirror frame has polished seamless mitered corners and 0.25" (6.4 mm) thick plate glass mirror. Choice of sizes.

MODEL OPTION:
20650 Mirror without shelf.



8340 RECESSED POWDER COATED MEDICINE CABINET

White powder coated finish. Stainless steel framed mirror swing door, with full length piano hinge and magnetic catch. Three removable shelves. Mirror depth: 1/4" (6 mm).

Overall Dimensions:
18 1/4" x 24 1/4" x 4 1/2"
(464 x 616 x 114 mm)



0661-1 VELARE™ STAINLESS STEEL CABINET WITH FRAMELESS MIRROR, LIQUID SOAP DISPENSER, AND HIGH-SPEED HAND DRYER (110-120 V)

This wall mounted stainless steel cabinet conceals a hands-free automatic liquid soap dispenser with a .4 gal. (1.5 L) capacity and a high-speed hand dryer (110-120 V) equipped with a HEPA filter. Available in 208-240 V (0661-2).

Overall Dimensions:
23 5/8" x 35 1/8" x 7 1/8"
(600 x 900 x 192 mm)

Decibel Level: 68-73.8 dB-A @ 2M



THE MOST COMPREHENSIVE COLLECTION OF WASHROOM ACCESSORIES AVAILABLE ANYWHERE.

American Specialties Inc. is the world's leading manufacturer of commercial washrooms accessories. Why mix and match disparate washroom accessory products from different manufacturers, when our company has designed, engineered, and manufactured everything you need from one source? Welcome to integrated solutions. Welcome to ASI.



WASHROOM ACCESSORIES

The largest product breadth with more than 3,000 washroom accessories (mostly all manufactured from the finest Type 304 stainless steel) and six curated collections that are fully integrated to work together seamlessly.

americanspecialties.com



THE ONE STOP LOCKER SHOP EXCLUSIVELY FROM ASI.

ASI Storage Solutions offers an extensive line of lockers, benches, cubbies, and shelving that comes standard with leading-edge features. We ship out more products in 48 hours than anyone else in the industry. ASI Storage meets or exceeds any specification, and our products are LEED® Friendly, Designer Friendly, ADA Friendly, and User Friendly.



STORAGE SOLUTIONS

The largest offering of colors, configurations and materials including steel, solid plastic, and phenolic.

asi-storage.com



**ONLY ASI OFFERS
THE LARGEST
SELECTION OF
DESIGNER OPTIONS
IN THE INDUSTRY.**

Since 1957, the ASI Group has been providing high-performance toilet partitions that meet or exceed specifications, require little maintenance, and withstand the rigors of very difficult environments. Only the ASI Group offers the most designer options in material, styles, and configurations to meet a variety of needs.



TOILET PARTITIONS

ASI offers the most comprehensive collection of plastic, plastic laminate, powder coated, phenolic, and stainless steel partitions from one source.

asi-accuratepartitions.com
asi-globalpartitions.com



**THE FLEXIBILITY
TO CREATE VISUAL
DISPLAY SYSTEMS WITH
QUALITY AND
PERFORMANCE
THAT EXCEED EXPECTATIONS.**

Since 1959, our goal has been to provide visual display products and services that meet and exceed aesthetic and performance requirements. Through constant research, innovation, and development, we design and manufacture high quality visual display products that are easy to install and require little maintenance.



VISUAL DISPLAY PRODUCTS

A large variety of high quality trims, surface options, mobile units, accessories, and configurations.

asi-visualdisplayproducts.com



441 Saw Mill River Rd.
Yonkers, NY 10701
Phone: 914.476.9000
Fax: 914.476.0688
Web: asigroup.us

americanspecialties.com
asi-accuratepartitions.com
asi-globalpartitions.com
asi-storage.com
asi-visualdisplayproducts.com